


weater has the H-line!



Materials: 7 $\frac{1}{2}$ -oz. balls Patons Lucelle Fine Ply, Nil Green 5646. A pair No. 13 and No. 12 "Queen Bee" needles. 2 ozs. black bugle beads; a very small quantity of fine black wool for embroidery. A No. 13 crochet hook; 4-inch lightweight matching zip-fastener.

Measurements: To fit 34-35-inch bust; length from top of shoulders, 21 $\frac{1}{2}$ inches; sleeve seam, 2 $\frac{1}{4}$ inches.

Tension: 9 $\frac{1}{2}$ sts. and 12 rows to an inch over stocking-stitch on No. 12 needles.

please turn to page 24

Finishing: Clip off any uneven ends in the pile stripes and shake rug to remove ends and any fluff.

Work binding stitch down the two long selvages in rust as shown in diagram; this gives a double stitch which covers the edge thoroughly. Work a row of ordinary single over-sewing across the short folded ends in brown. Your rug is now finished.

TWIN SET

continued from page 23

7th [9th] and every following 8th [8th] row until there are 96 [98] sts. Work straight until sleeve seam measures 16½ [16½] inches.

With right side facing, shape top by casting off 4 [4] sts. at beginning of next 2 rows, then k. 2 tog. at beginning of every row until 50 [46] sts. remain, then at each end of every row until 24 [22] sts. remain. Cast off.

CABLE BORDERS

Main Border: Join shoulder seams. With No. 12 needles, cast on 20 sts. and work a coloured cable border as for jumper collar, long enough to go up right front, round back of neck and down left front when slightly stretched. Sew in position as you go along, 3 purl sts. to be sewn to edge of main work and *at the same time* make 6 buttonholes up right front in centre of cable band. First to come ¼ inch from lower edge, 6th at beginning of front slope and remainder evenly spaced between. First mark position of buttons with pins on left front then work holes to correspond. To make a buttonhole:—With right side facing, pattern 9, cast off 3, pattern to end and back, casting on 3 over those cast off in previous row.

Cuffs: Work two cable strips as for cuffs of jumper, each 7½ [8] inches long. Cast off. Now work ribbing as for cuffs but pick up 72 [76] sts. Cast off in rib.

TO MAKE UP

Press parts on wrong side under a damp cloth, but cable strips only very lightly. Join side and sleeve seams; insert sleeves.

Jumper: Pin collar in position round neck, top edge of cable strip to come on edge of neckline of main work. Hem in position on wrong side. With P. wool, work a row of d.c. down short sides of cable strips at back and front. Work 3 rows d.c. down left side of back opening, leaving cable part of collar free, then 3 rows down right side making 5 button loops in last row. Pin cuffs in position with wrong side of cuff facing, having ribbed edge to main work. Sew in position; turn back cuffs and press lightly in position. Sew on buttons.

Cardigan: Sew cable cuffs in position as for jumper. Work a row of d.c. in P. across cable borders at lower edge. Sew on buttons. Press all seams.

BEADED "LUCELLE" JUMPER

continued from page 17

FRONT

** With No. 13 needles, cast on 143 sts. and knit 2 rows, then work 4 rows stocking-stitch, starting with a knit row. NEXT ROW: * k. 2 tog., wool forward; repeat from * to last stitch, k. 1. NEXT ROW: Purl. NEXT ROW: k. 2, * wl. fwd., k. 2 tog.; repeat from * to last stitch, k. 1. Work 5 rows stocking-stitch, starting with a purl row.

Change to No. 12 needles and continue in stocking-stitch, starting with a purl row to reverse cuff, and work straight for 1½ inches. With right side facing, shape as follows:—

NEXT ROW: k. 39, k. 2 tog., k. 1, k. 2 tog. through back of loops, k. 55, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 39 (139 sts.). Work 11 rows straight in stocking-stitch. NEXT ROW: k. 38, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 53, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 38 (135 sts.). Work 11 rows straight. NEXT ROW: k. 37, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 51, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 37 (131 sts.). Work 11 rows straight. NEXT ROW: k. 36, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 49, k. 2 tog., k. 1, k. 2 tog.t.b.l., k. 36 (127 sts.). Change to No. 13 needles and work 27 rows straight in stocking-stitch for waist.

Change back to No. 12 needles and with right side facing continue shaping by increasing as follows:—NEXT ROW: k. 37, pick up horizontal thread before next stitch and knit into back of it (this will be called "increase 1"), k. 1, increase 1, k. 51, increase 1, k. 1, increase 1, k. 37. Work 5 rows straight. NEXT ROW: k. 38, increase 1, k. 1, increase 1, k. 53, increase 1, k. 1, increase 1, k. 38. Work 5 rows straight.

NEXT ROW: k. 39, increase 1, k. 1, increase 1, k. 55, increase 1, k. 1, increase 1, k. 39. Work 5 rows straight. NEXT ROW: k. 40, increase 1, k. 1, increase 1, k. 57, increase 1, k. 1, increase 1, k. 40 (143 sts.). Work 5 rows straight.


Continue increasing 4 sts. thus on next and every following 6th row until there are 171 sts. Work straight until front measures 13½ inches down centre from start of stocking-stitch after cuff.

With right side facing, shape armholes by casting off 8 sts. at beginning of next 2 rows, then k. 2 tog. at each end of next and every alternate row until 143 sts. remain. Work 7 rows straight.

With right side facing, start yoke and work lace insertion as follows:—* k. 2 tog., wl. fwd.; repeat from * to last stitch, k. 1. NEXT ROW: Purl. NEXT ROW: k. 2, * wl. fwd., k. 2 tog.; repeat from * to last stitch, k. 1. Work 3 rows stocking-stitch, starting with a purl row. Break wool.

Now thread beads on to wool as follows:—Make a needle with a 4-inch piece of fuse wire by folding up 1½ inches of wire into a loop; slip end of wool through loop, then twist the wire very tightly to form a smooth needle with wool fixed firmly at end (see diagram opposite). Start by threading 112 beads, sufficient for the first two patterns, and when these have been worked, break wool and thread another 112 beads for the next two patterns. Continue in this way, threading beads as required.

Work bead yoke as follows:—1st row: right side facing, k. 3, * wl. fwd., slip a bead up wool close to front of work, slip next 2 sts. purlways, wool back, bead is now lying across the two slipped sts., k. 3; repeat from * to end. NEXT ROW: * p. 3, wool back, slip a bead up wool close to right side of work, slip next 2 sts. purlways, wool forward, bead is lying across two sts. as before, directly above bead of previous row;



Another edition of your favourite embroidery book — full of fascinating new ideas and designs for beautiful work. Send 1/- p.o. (Dominions 4d. extra for postage, otherwise post free) to the Old Bleach Linen Co Ltd, Dept D.2, Randalstown, N. Ireland. You can obtain Old Bleach Embroidery Linens from Needlework shops and linen departments everywhere.

Old Bleach  **EMBROIDERY LINEN**



Needle made from twisted fuse wire

repeat from * to last 3 sts., p. 3. NEXT ROW: Knit. NEXT ROW: Purl. These 4 rows form bead pattern.**

Continue in bead pattern until front measures 19½ inches down centre from start of stocking-stitch after cuff. With right side facing, shape neck as follows:—

Pattern 61, turn and leave remaining stitches on a spare needle. Continue in pattern on first 61 sts., decreasing 1 stitch at neck edge on every row until 45 sts. remain. Work a few rows straight until front measures 21½ inches from start of stocking-stitch after cuff.

With right side facing, shape shoulder by casting off 9 sts. at beginning of next and following 4 alternate rows, armhole edge.

With right side facing, rejoin wool to remaining sts., cast off centre 21, pattern to end. Work to correspond with first shoulder.

BACK

Work exactly as for front from ** to **. Continue in bead pattern until back measures 18 inches down centre from start of stocking-stitch after cuff. Here divide for back opening. With right side facing, pattern 71, turn and leave remaining sts. on a spare needle.

Continue in pattern on first 71 sts. until back measures 21½ inches, then with right side facing, shape shoulder by casting off 9 sts. at beginning of next and following 4 alternate rows, armhole edge. Cast off remaining 26 sts. fairly loosely.

With right side facing, rejoin wool to remaining 72 sts., cast off 1, pattern to end. Work to correspond with first shoulder.

SLEEVES

With No. 13 needles, cast on 101 sts. and knit 2 rows, then work 4 rows stocking-stitch starting with a knit row. NEXT ROW: * k. 2 tog., wl. fwd.; repeat from * to last stitch, k. 1. NEXT ROW: Purl. NEXT ROW: k. 2, * wl. fwd., k. 2 tog.; repeat from * to last stitch, k. 1. Work 5 rows stocking-stitch, starting with a purl row, and increasing 7 sts. evenly across on last row to 108 sts. Purl 1 row to reverse cuff.

Change to No. 12 needles, then continue in stocking-stitch, starting with a knit row, shaping sides by increasing 1 stitch at each end of 3rd and every following 4th row until there are 122 sts. Purl back.

With right side facing, shape top by casting off 8 sts. at beginning of next 2 rows, then k. 2 tog. at each end of next and every following knit row until 62 sts. remain, then at each end of every row until 30 sts. remain. Cast off.

COLLAR


With No. 12 needles, cast on 55 sts. and work 6 rows stocking-stitch, starting with a knit row. Continue in stocking-stitch, decreasing 1 stitch at each end of next and following 6th row. Now decrease 1 stitch at each end of every knit row until 43 sts. remain, then 1 stitch at each end of every row until 37 sts. remain. Break wool and leave sts. for the time being.

With right side facing, pick up and knit 20 sts. along shaped side of collar, then on to same needle k. 37 sts. from needle, then pick up and knit 20 sts. along other side of collar. NEXT ROW: Purl. NEXT ROW: * k. 2 tog., wl. fwd.; repeat from * to last stitch, k. 1. NEXT ROW: Purl. NEXT ROW: k. 2, * wl. fwd., k. 2 tog.; repeat from * to last stitch, k. 1. NEXT ROW: Purl. NEXT ROW: Knit. Cast off loosely knitways, using double wool. Work another piece the same.

TO MAKE UP

Press work on wrong side under a damp cloth, but do not press yoke. With black wool, embroider a row of herringbone sts. through holes along top and bottom of lace insertion round collar, across yoke and cuffs of sleeves, and lower edge. Join shoulders, side and sleeve seams; insert sleeves. Turn up cuff round lower edge and hem to main work. Turn up cuffs round sleeves and catch down lightly all round to keep cuff in position. Work a row of double crochet down each side of back opening. Sew halves of collar in position round neck, taking care to centre them at front. Insert zip-fastener. Press seams.

Your Nerves can make you irritable



Nerve fibre surrounding ganglion cell.

In nearly every case when normally healthy people become irritable and bad tempered, the trouble can be traced to "nerves". If you or anyone in your family suffers from spells of irritability, then here is help indeed.

How Sanatogen overcomes "nerves"

A healthy, efficient nervous system depends upon the proper functioning of your nerve cells. If these do not receive enough protein and phosphorus, they "starve", retarding the normal growth of new nerve tissue. To build up their activity, Sanatogen supplies large amounts of concentrated protein, together with essential phosphorus. By this vigorous tonic action, Sanatogen strengthens and stabilizes your nervous system, thus helping to overcome "nerves".

Medically recommended

Sanatogen is fully recommended by members of the medical profession and widely used by doctors here and abroad. No other preparation gives you what Sanatogen contains, and clinical trials under medical supervision have shown that Sanatogen has an exceptional tonic effect.

For all forms of "nerves"

"Nerves" may take many forms—excessive worrying, depression, sleeplessness, irritability, lack of energy, continual tiredness, "run down" conditions, even indigestion. By building up your nervous strength Sanatogen helps you back to full health.

From 6/11. Economical family-size jar available.

Sanatogen

THE PROTEIN NERVE TONIC

The word 'Sanatogen' is a registered trade mark of Genatosan Ltd., Loughborough, Leics.

